

# mFluor™ Red 780 Anti-human CD47 Antibody \*HI172\*

Catalog number: 104710W0, 104710W1

Unit size: 100 tests, 500 tests

#### **Product Details**

Storage Conditions 2-8°C with minimized light exposure. Do not freeze.

Expiration Date 12 months upon receiving

Concentration 0.1 mg/mL

Formulation Phosphate-buffered saline (PBS, pH 7.2), 0.09% sodium azide, 0.2% (w/v) BSA

### **Antibody Properties**

Species Reactivity Human

Class Primary

Clonality Monoclonal

Host Mouse

Isotype Mouse IgG1

Immunogen CD47 (gp42, IAP, neurophilin, MER6, Integrin associated protein)

Clone HI172

Conjugate mFluor™ Red 780

### **Biological Properties**

Appearance Dark blue liquid

Preparation Antibody purified by affinity chromatography and then conjugated with mFluor™ Red 780 under

optimal conditions

Application Flow Cytometry (FACS), Fluorescence Imaging

#### **Spectral Properties**

Conjugate mFluor™ Red 780

Excitation Wavelength 629 nm

Emission Wavelength 767 nm

## **Applications**

HI172 is an anti-human monoclonal antibody that is specific for the CD47 antigen. CD47 (sometimes called Integrin associated protein) is a 42 - 52 kD multi-pass membrane protein that is found on the surface of cells such as granulocytes, platelets, endothelial cells and B cells. CD47 acts in critical cellular pathways, in particular, the negative regulation of Fc-gamma receptor signaling pathway involved in phagocytosis and integrin-

mediated signaling pathway. In addition, in certain organisms, it downregulates Fc-gamma receptor signaling pathway involved in phagocytosis, upregulates T cell activation and acts to positively regulate inflammatory response. From a research standpoint, it is of biological interest due to its association with key macromolecules/ligands like SIRP, Thrombospondin and CD61. CD47 is a fairly uncommon antibody target, with a little more than 5000 publications in the last decade. Even still, CD47 is often used in flow cytometry applications as a phenotypic marker for differentiation of cell types, particularly in the study of immunology. This antibody was purified through affinity chromatography and conjugated to mFluor™ Red 780 (ex/em = 629/767 nm). It is compatible with the 633 nm laser and 780/60 nm bandpass filter (for example, as in the BD FACSAria™ III).