

This product is **for research use only** (not for diagnostic or therapeutic use)

contact: support@agrisera.com

Agrisera AB | Box 57 | SE-91121 Vännäs | Sweden | +46 (0)935 33 000 | www.agrisera.com

Product no AS10 1086

Goat anti-Rabbit IgG (H&L), ALP conjugated, min, cross-reactivity to bovine, goat, human, mouse,rat IgG

Product information

Host Goat

Clonality Polyclonal

Purity Immunogen affinity purified IgG.

Format Liquid

Quantity 1 mg

Storage

Non-diluted antibody is stable for 4 years at 2-8 °C. For storage at -20 °C dilute antibody solution with an equal volume of glycerol to obtain final glycerol concentration of 50 % to prevent loss of enzymatic activity. Such solution will not freeze in -20°C. If you are using a 1:5000 dilution prior to diluting with glycerol, then you would need to use a 1:2500 dilution after adding glycerol. Prepare working dilution prior to use and then discard, Be sure to mix well but without

Additional information

This antibody reacts with: heavy chains on rabbit IgG light chains on all rabbit immunoglobulins based on immunoelectrophoresis.

Minimum cross-reactivity is observed to: non-immunoglobulin rabbit serum proteins IgG from bovine, goat, human, mouse or rat.

Antibody is supplied in 30 mM triethanolamine, pH 7.2, 5 mM magnesium chloride, 0.1 mM zinc chloride, 1 % (w/v) BSA, Protease/IgG free , 0.05 % (w/v) sodium azide as preservative.

Application information

Recommended dilution 1:500 -1:2000 (ELISA), 1:50 -1:5000 (ICC), 1:20-1:2000 (IHC), 1:500 -1:2000 (WB)

Selected references

Wężowicz et al. (2017). Interactions of arbuscular mycorrhizal and endophytic fungi improve seedling survival and growth in post-mining waste. Mycorrhiza. 2017 Mar 20. doi: 10.1007/s00572-017-0768-x.