

Product no **AS16 3358**

Goat anti-Human IgG Fc, F(ab)'2 Fragment, TRITC conjugated, min, cross-reactivity to bovine, horse, mouse or rabbit serum proteins, mouse IgG1

Product information

Immunogen	Purified Human IgG, Fc fragment
Host	Goat
Clonality	Polyclonal
Purity	Immunogen affinity purified goat IgG.
Format	Lyophilized
Quantity	0.5 mg
Reconstitution	For reconstitution add 0.55 ml of sterile water
Storage	Store at 2-8 °C.

Additional information	Antibody purity is > 90% based on SDS-PAGE. Small amounts of intact IgG may be present. Affinity purified using solid phase Human IgG. Antibody is supplied in 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1% (w/v) BSA, Protease/IgG free. 0.05% (w/v) Sodium Azide is added as a preservative. Based on IEP, this antibody reacts with: • heavy () chains on human IgG. Based on IEP, no reactivity is observed to: • non-immunoglobulin human serum immunoglobulins • light chains on all human immunoglobulins • human IgG F(ab)'2 fragment • mouse IgG1 • serum proteins from bovine, horse, mouse, or rabbit.
-------------------------------	---

Application information

Recommended dilution	1 : 20-1 : 2000 (Flow cyt), (IL)
Confirmed reactivity	Goat anti-Human IgG Fc, F(ab)'2 Fragment