

Recombinant Mouse Icosl Protein, C-His&hFc-tagged

Product Information

Cat IMP-1773

Official Symbol Icosl

Product Overview Recombinant mouse B7-H2 (NP_056605.1) extracellular domain (Met

1-Lys 279) was fused with the C-terminal polyhistidine-tagged Fc region of

human IgG1 at the C-terminus.

Description Inducible co-stimulator ligand (ICOSL), also known as B7-H2, is a member

of the B7 family of co-stimulatory molecules related to B7-1 and B7-2. It is a transmembrane glycoprotein with extracellular IgV and IgC domains and binds to ICOS on activated T cells, thus delivers a positive costimulatory signal for optimal T cell function. The structural features of ICOSL are crucial for its costimulatory function. The present study shows that ICOSL displays a marked oligomerization potential, resembling more like B7-1 than B7-2. B7-H2-dependent signaling may play an active role in a proliferative response rather than in cytokine and chemokine production. The CD28/B7 and ICOS/B7-H2 pathways are both critical for costimulating T cell immune responses. Deficiency in either pathway results in defective T cell activation, cytokine production, and germinal center formation.

Expression System HEK293

Species Mouse

Tag C-His&hFc

Predicted N Terminal Glu 47

Form Lyophilized from sterile PBS, pH 7.4, 5 % trehalose, 5% mannitol and

0.01% Tween80.

Molecular Mass The secreted recombinant mouse B7-H2/Fc is a disulfide-linked homodimer

after removal of the signal peptide. The reduced monomer comprises 481 amino acids with a predicted molecular mass of 54.3 kDa. As a result of glycosylation, it migrates as an approximately 75-85 kDa band in SDS-

PAGE under reducing conditions.

Protein length Met1-Lys279

Endotoxin < 1.0 EU/μg protein as determined by the LAL method.

Purity > 95 % as determined by SDS-PAGE

Storage Samples are stable for up to twelve months from date of receipt at -20 to

-80 centigrade. Store it under sterile conditions at -20 to -80 centigrade. It is

recommended that the protein be aliquoted for optimal storage. Avoid

repeated freeze-thaw cycles.



Reconstitution

SDS-PAGE

A hardcopy of COA with reconstitution instruction is sent along with the products. Please refer to it for detailed information.

