

Recombinant Mouse Pirb Protein, C-His-tagged

Product Information

Cat	IMP-1527
Official Symbol	<i>Pirb</i>
Product Overview	Recombinant extracellular domain of mouse <i>LILRB3</i> (AAC53219.1) (Met 1-Tyr 640), was fused with a C-terminal polyhistidine tag.
Description	<i>Leukocyte immunoglobulin-like receptor subfamily B member 3, also known as Leukocyte immunoglobulin-like receptor 3, Immunoglobulin-like transcript 5, Monocyte inhibitory receptor HL9, CD85 antigen-like family member A, CD85a and LILRB3, is a single-pass type I membrane protein that belongs to the leukocyte receptor cluster (LRC) present on 19q13.4. LILRB3 / CD85a contains four Ig-like C2-type (immunoglobulin-like) domains. LILRB3 / CD85a contains three copies of a cytoplasmic motif that is referred to as the immunoreceptor tyrosine-based inhibitor motif (ITIM). This motif is involved in the modulation of cellular responses. The phosphorylated ITIM motif can bind the SH2 domain of several SH2-containing phosphatases. LILRB3 / CD85a is expressed on immune cells where it binds to MHC class I molecules on antigen-presenting cells and transduces a negative signal that inhibits stimulation of an immune response. It is thought to control inflammatory responses and cytotoxicity to help focus the immune response and limit autoreactivity. Multiple transcript variants encoding different isoforms have been found.</i>
Expression System	HEK293
Species	Mouse
Tag	C-His
Predicted N Terminal	Ser 25
Form	Lyophilized from sterile PBS, pH 7.4, 5 % trehalose, 5% mannitol and 0.01% Tween80.
Molecular Mass	The secreted recombinant mouse <i>LILRB3</i> comprises 627 amino acids and has a calculated molecular mass of 70 kDa. The apparent molecular mass of rm <i>LILRB3</i> is approximately 73 kDa in SDS-PAGE under reducing conditions.
Protein length	Met1-Tyr640
Endotoxin	< 1.0 EU/μg protein as determined by the LAL method.
Purity	> 95 % as determined by SDS-PAGE
Storage	Samples are stable for up to twelve months from date of receipt at -20 to -80 centigrade. Store it under sterile conditions at -20 to -80 centigrade. It is

recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution

A hardcopy of COA with reconstitution instruction is sent along with the products. Please refer to it for detailed information.

SDS-PAGE

