## Alexa Fluor™ 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein (Monomer)

Catalog # HLD-HA2H4



### Synonym

HLA-A\*1101 & B2M & KRASG12D (VVVGADGVGK)

#### Source

Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein(HLD-HA2H4) is expressed from human 293 cells (HEK293). It contains AA Gly 25 - Thr 305 (HLA-A\*11:01) & Ile 21 - Met 119 (B2M) & VVVGADGVGK peptide (Accession # Q5S3G3-1 (HLA-A\*11:01) & P61769 (B2M) & VVVGADGVGK).

Predicted N-terminus: Gly 25 & Ile 21

#### **Molecular Characterization**

Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein is produced by co-expression of HLA and B2M loaded with KRASG12D peptide.

This protein carries a polyhistidine tag at the C-terminus.

The protein has a calculated MW of 49.4 kDa and 11.7 kDa. The protein migrates as 57-70 kDa and 13 kDa when calibrated against <u>Star Ribbon Prestained Protein Marker</u> under reducing (R) condition (SDS-PAGE) due to glycosylation.

### Conjugate

AF488

Excitation Wavelength: 488 nm

Emission Wavelength: 517 nm

## Labeling

The primary amines in the side chains of lysine residues and the N-terminus of the protein are conjugated with AF488 using standard chemical labeling method. The residual AF488 is removed by molecular sieve treatment during purification process.

## Endotoxin

Less than 1.0 EU per  $\mu g$  by the LAL method.

## **Purity**

>90% as determined by SDS-PAGE.

#### **Formulation**

Lyophilized from  $0.22~\mu m$  filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

### Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

### Storage

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please protect from light and avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

**SDS-PAGE** 




# Alexa Fluor™ 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein (Monomer)










Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90% (With <u>Star Ribbon Pre-stained Protein Marker</u>).


## **Bioactivity-ELISA**

Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein ELISA 0.1 µg of Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein per well




Immobilized Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein (Cat. No. HLD-HA2H4) at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind Anti-HLA class I Antibody, Human IgG1 (W6/32) with a linear range of 0.1-2 ng/mL (QC tested).

# Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein ELISA 0.1 µg of Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein per well 37



Immobilized Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein (Cat. No. HLD-HA2H4) at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind Anti-B2M Antibody, Human IgG1 with a linear range of 0.1-2 ng/mL (Routinely tested).

## **Bioactivity-SPR**



Alexa Fluor 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein (Cat. No. HLD-HA2H4) captured on CM5 Chip via Anti-B2M antibody can bind Anti-HLA class I Antibody, Human IgG1 (W6/32) with an affinity constant of 0.0913 pM as determined in a SPR assay (Biacore 8K) (Routinely tested).



# Alexa Fluor™ 488-Labeled Human HLA-A\*11:01&B2M&KRASG12D (VVVGADGVGK) Complex Protein (Monomer)

Catalog # HLD-HA2H4



## **Background**

The Kirsten rat sarcoma 2 viral oncogene homolog (KRAS) oncogene plays a critical role in the initiation and maintenance of pancreatic tumors and its signaling network represents a major target for therapeutic intervention. The Human HLA-A\*1101 KRASG12D (VVVGADGVGK) complex protein is a complex of HLA-A\*1101 of the MHC Class I, B2M, and VVVGADGVGK peptide of the KRASG12D.

**Clinical and Translational Updates** 

