


CCN4 Antibody / WISP1 (RQ7111)

Catalog No.	Formulation	Size
RQ7111	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose
UniProt	O95388
Applications	Western blot : 0.5-1ug/ml Direct ELISA : 0.1-0.5ug/ml
Limitations	This CCN4 antibody is available for research use only.



Western blot testing of 1) rat brain and 2) mouse brain tissue lysate with CCN4 antibody. Expected molecular weight: 40-55 kDa depending on degree of glycosylation.

Description

This gene encodes a member of the WNT1 inducible signaling pathway (WISP) protein subfamily, which belongs to the connective tissue growth factor (CTGF) family. WNT1 is a member of a family of cysteine-rich, glycosylated signaling proteins that mediate diverse developmental processes. The CTGF family members are characterized by four conserved cysteine-rich

domains: insulin-like growth factor-binding domain, von Willebrand factor type C module, thrombospondin domain and C-terminal cystine knot-like domain. This gene may be downstream in the WNT1 signaling pathway that is relevant to malignant transformation. It is expressed at a high level in fibroblast cells, and overexpressed in colon tumors. The encoded protein binds to decorin and biglycan, two members of a family of small leucine-rich proteoglycans present in the extracellular matrix of connective tissue, and possibly prevents the inhibitory activity of decorin and biglycan in tumor cell proliferation. It also attenuates p53-mediated apoptosis in response to DNA damage through activation of the Akt kinase. It is 83% identical to the mouse protein at the amino acid level. Multiple alternatively spliced transcript variants have been identified.

Application Notes

Optimal dilution of the CCN4 antibody should be determined by the researcher.

Immunogen

Recombinant human WISP-1/CCN4 protein (amino acids A80-N367) was used as the immunogen for the CCN4 antibody.

Storage

After reconstitution, the CCN4 antibody can be stored for up to one month at 4°C. For long-term, aliquot and store at -20°C. Avoid repeated freezing and thawing.