


## BCMA Antibody (F44619)

Catalog No.	Formulation	Size
F44619-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F44619-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Antigen affinity purified
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit Ig
<b>Purity</b>	Antigen affinity
<b>UniProt</b>	Q02223
<b>Applications</b>	Western blot : 1:1000
<b>Limitations</b>	This BCMA antibody is available for research use only.

BCMA antibody western blot analysis in MDA-MB231 lysate.



## Description

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b (TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation.

## Application Notes

Titration of the BCMA antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## Immunogen

A portion of amino acids 63-92 from the human protein was used as the immunogen for this BCMA antibody.

## Storage

Aliquot the BCMA antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.