
Phospho-p53 Antibody (pS9) (F48434)

Catalog No.	Formulation	Size
F48434-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F48434-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Antigen affinity
UniProt	P04637
Applications	Dot blot : 1:500 Immunofluorescence : 1:10-1:50
Limitations	This phospho-p53 antibody is available for research use only.

NP-Pab	P-Pab		Dot blot analysis of phospho-p53 antibody. 50ng of phos-peptide or nonphos-peptide dot were spotted.
•		NP-Peptide	
•	•	P-Peptide	



Confocal immunofluorescent analysis of phospho-p53 antibody with A2058 cells followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments labeled with Alexa Fluor 555 Phalloidin (red). DAPI used as a nuclear counterstain (blue)

Description

Tumor protein p53, a nuclear protein, plays an essential role in the regulation of cell cycle, specifically in the transition from G0 to G1. It is found in very low levels in normal cells, however, in a variety of transformed cell lines, it is expressed in high amounts, and believed to contribute to transformation and malignancy. p53 is a DNA-binding protein containing DNA-binding, oligomerization and transcription activation domains. It is postulated to bind as a tetramer to a p53-binding site and activate expression of downstream genes that inhibit growth and/or invasion, and thus function as a tumor suppressor. Mutants of p53 that frequently occur in a number of different human cancers fail to bind the consensus DNA binding site, and hence cause the loss of tumor suppressor activity. Alterations of the TP53 gene occur not only as somatic mutations in human malignancies, but also as germline mutations in some cancer-prone families with Li-Fraumeni syndrome.

Application Notes

Titration of the phospho-p53 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

This phospho-p53 antibody was produced from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding pS9 of human p53.

Storage

Aliquot the phospho-p53 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.

Ordering:Phone:858.663.9055 | Fax:1.267.821.0800 | Email:info@nsjbio.com

Copyright © NSJ Bioreagents. All rights reserved