Leptin Antibody (RQ4027)

Catalog No.	Formulation	Size
RQ4027	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request

Availability	1-3 business days	
Species Reactivity	Human	
Format	Antigen affinity purified	
Clonality	Polyclonal (rabbit origin)	
Isotype	Rabbit IgG	
Purity	Antigen affinity purified	
Buffer	Lyophilized from 1X PBS with 2% Trehalose and 0.025% sodium azide	
UniProt	P41159	
Applications	Western Blot : 0.5-1ug/ml ELISA (Capture) : 0.1-0.5ug/ml	
Limitations	This Leptin antibody is available for research use only.	
kDa 180- 130- 95- 72- 55- 43- 34- 26- 17-	Western blot testing of recombinant human Leptin protein with Leptin antibody at 0.5ug/ml. Predicted molecular weight ~16 kDa.	

Description

Leptin have been found to be obese and diabetic and to have reduced activity, metabolism and body temperature. cDNA clones encoding Leptin have been isolated from human, simian, mouse, and rat cells. The expression of Leptin mRNA has been shown to be restricted to adipose tissue. Although regulation of fat stores is deemed to be the primary function of leptin,

it also plays a role in other physiological processes, as evidenced by its multiple sites of synthesis other than fat cells, and the multiple cell types beside hypothalamic cells that have leptin receptors. Many of these additional functions are yet to be defined.

Application Notes

Optimal dilution of the Leptin antibody should be determined by the researcher.

Immunogen

A recombinant human partial protein corresponding to amino acids V22-C167 was used as the immunogen for the Leptin antibody.

Storage

After reconstitution, the Leptin antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.

Ordering:Phone:858.663.9055 | Fax:1.267.821.0800 | Email:info@nsjbio.com

Copyright © NSJ Bioreagents. All rights reserved