HSP60 Antibody / HSPD1 [clone LK1] (V2136)

Catalog No.	Formulation	Size
V2136-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	100 ug
V2136-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	20 ug
V2136SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug
V2136IHC-7ML	Prediluted in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide; *For IHC use only*	7 ml



Bulk quote request

Species Reactivity	Human, Mouse, Rat
Format	Purified
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG1, kappa
Clone Name	LK1
Purity	Protein G affinity chromatography
Gene ID	3329
Localization	Mitochondria in cytoplasm
Applications	Flow cytometry : 1-2ug/10^6 cells Immunofluorescence : 1-2ug/ml Western blot : 1-2ug/ml Immunohistochemistry (FFPE) : 1-2ug/ml for 30 min at RT
Limitations	This HSP60 antibody is available for research use only.



IHC testing of FFPE human breast carcinoma with HSP60 antibody (clone LK1).



IHC testing of FFPE pancreas tissue with HSP60 antibody (clone LK1).



Western blot testing of HeLa cell lysate with HSP60 antibody (clone LK1).



SDS-PAGE Analysis of Purified, BSA-Free HSP60 Antibody (clone LK1). Confirmation of Integrity and Purity of the Antibody.



Immunofluorescent staining of PFA-fixed human MCF7 cells with HSP60 antibody (green, clone LK1) and Reddot nuclear stain (red).



Flow cytometry testing of PFA-fixed human HeLa cells with HSP60 antibody (clone LK1); Red=isotype control, Blue= HSP60 antibody.

Description

This antibody recognizes a 60 kDa protein, identified as the heat shock protein 60. The antibody's epitope is localized between amino acids 383-447 of human HSP60. A wide variety of environmental and pathophysiological stressful conditions trigger the synthesis of a family of proteins known as heat shock proteins (hsp's), more appropriately called as stress response proteins (srp's). HSP60 is a potential antigen in a number of autoimmune diseases. In human arthritis and in experimentally induced arthritis in animals, disease development coincides with the development of immune reactivity directed against not only bacterial HSP60, but also against its mammalian homolog. Clone LK1 antibody, unlike LK2 antibody, recognizes only the mammalian (not bacterial) HSP60 and is useful in distinguishing HSP60 from mammals and bacteria.

Immunogen

Recombinant human HSP60 was used as the immunogen for this antibody.

Storage

Store the HSP60 antibody at 2-8oC (with azide) or aliquot and store at -20oC or colder (without azide).

References (1)

Ordering:Phone:858.663.9055 | Fax:1.267.821.0800 | Email:info@nsjbio.com

Copyright © NSJ Bioreagents. All rights reserved