

## FBX17 rabbit pAb

## Cat No.:ES16507

For research use only

## Overview

FBX17 rabbit pAb
Rabbit
WB
Human; Mouse;Rat
WB 1: 500-2000
Synthesized peptide derived from human FBX17 AA range: 61-111
This antibody detects endogenous levels of FBX17 at Human/Mouse/Rat
Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Store at -20°C. Avoid repeated freeze-thaw cycles.
FBX17
FBXO17 FBG4 FBX17 FBX26 FBXO26
SCF ubiquitin ligase complex,
The antibody was affinity-purified from rabbit
antiserum by affinity-chromatography using
epitope-specific immunogen.
Polyclonal
1 mg/ml
115290
Q96EF6
This gene encodes a member of the F-box protein family which is characterized by the F-box motif. The F-box proteins constitute one of the four subunits of the ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbxs class and it contains an F-box domain. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013],

Western blot analysis of lysates from MCF-7 cells, primary antibody was diluted at 1:1000, 4° over night





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C.