

A Cyclase V/VI rabbit pAb

Cat No.:ES1555

For research use only

Overview

Product Name A Cyclase V/VI rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.

The antiserum was produced against synthesized

Immunogen The antiserum was produced against synthesized

peptide derived from human ADCY5/6. AA

range:931-980

Specificity A Cyclase V/VI Polyclonal Antibody detects

endogenous levels of A Cyclase V/VI protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Adenylate cyclase type 5/6

Gene Name ADCY5/ADCY6

Cellular localization Cell membrane ; Multi-pass membrane protein. Cell

projection, cilium.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

ClonalityPolyclonalConcentration1 mg/mlObserved band138kDHuman Gene ID111/112

Human Swiss-Prot Number 095622/043306

Alternative Names ADCY5; Adenylate cyclase type 5; ATP


pyrophosphate-lyase 5; Adenylate cyclase type V; Adenylyl cyclase 5; ADCY6; KIAA0422; Adenylate cyclase type 6; ATP pyrophosphate-lyase 6; Adenylate cyclase type VI; Adenylyl cyclase 6;




Background

Ca(2+)-inhibitabl

This gene encodes a member of the membrane-bound adenylyl cyclase enzymes. Adenylyl cyclases mediate G protein-coupled receptor signaling through the synthesis of the second messenger cAMP. Activity of the encoded protein is stimulated by the Gs alpha subunit of G protein-coupled receptors and is inhibited by protein kinase A, calcium and Gi alpha subunits. Single nucleotide polymorphisms in this gene may be associated with low birth weight and type 2 diabetes. Alternatively spliced transcript variants that encode different isoforms have been observed for this gene. [provided by RefSeq, Dec 2010],




Western Blot analysis of various cells using A Cyclase V/VI Polyclonal Antibody




Western Blot analysis of COLO205 cells using A Cyclase V/VI Polyclonal Antibody





Western blot analysis of lysates from COLO205 cells, using ADCY5/6 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HUVECcells using Collagen V $\alpha \mathbf{1}$ antibody.