

## CYP2W1 rabbit pAb

**Cat No.:ES2107** 

For research use only

## Overview

**Immunogen** 

Product Name CYP2W1 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Rat;Mouse;

**Recommended dilutions** Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications. The antiserum was produced against synthesized

peptide derived from human Cytochrome P450

2W1. AA range:311-360

**Specificity** CYP2W1 Polyclonal Antibody detects endogenous

levels of CYP2W1 protein.

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Cytochrome P450 2W1

Gene Name CYP2W1

Cellular localization Endoplasmic reticulum lumen . Cell membrane .

Microsome membrane . About 8% are expressed on

the cell surface. .

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 55kD
Human Gene ID 54905
Human Swiss-Prot Number Q8TAV3

Alternative Names CYP2W1; Cytochrome P450 2W1; CYPIIW1

**Background** This gene encodes a member of the cytochrome


P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many






reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. [provided by RefSeq, Jul 2008],


Western Blot analysis of various cells using CYP2W1 Polyclonal Antibody



Immunofluorescence analysis of HUVEC cells, using Cytochrome P450 2W1 Antibody. The picture on the right is blocked with the synthesized peptide.




Immunohistochemistry analysis of paraffin-embedded human liver carcinoma tissue, using Cytochrome P450 2W1 Antibody. The picture on the right is blocked with the synthesized peptide.



+86-27-59760950







Western blot analysis of the lysates from HT-29 cells using CDH2 antibody.

