

HIPK4 rabbit pAb

Cat No.:ES2514

For research use only

Overview

Product Name HIPK4 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human HIPK4. AA

range:511-560

Specificity HIPK4 Polyclonal Antibody detects endogenous

levels of HIPK4 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Homeodomain-interacting protein kinase 4

Gene Name HIPK4

Cellular localization Cytoplasm.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 70kD
Human Gene ID 147746
Human Swiss-Prot Number O8NE63

Alternative Names

Background

HIPK4; Homeodomain-interacting protein kinase 4 homeodomain interacting protein kinase 4(HIPK4)

Homo sapiens This gene encodes a member of the homeodomain interacting protein kinase (HIPK) family of proteins. While other members of this family are found throughout vertebrates, this




+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com




member is present only in mammals. Compared to other members of this family, the encoded protein lacks a nuclear localization signal and a C-terminal autoinhibitory domain. The encoded protein exhibits kinase activity and may phosphorylate the tumor suppressor protein p53. [provided by RefSeq, Jul 2016],


Western Blot analysis of various cells using HIPK4 Polyclonal Antibody



Immunofluorescence analysis of A549 cells, using HIPK4 Antibody. The picture on the right is blocked with the synthesized peptide.




Immunohistochemistry analysis of paraffin-embedded human testis tissue, using HIPK4 Antibody. The picture on the right is blocked with the synthesized peptide.



+86-27-59760950







Western blot analysis of lysates from HUVEC cells, using HIPK4 Antibody. The lane on the right is blocked with the synthesized peptide.

