

## hnRNP F rabbit pAb

Cat No.: ES2548

For research use only

## Overview

Product Name hnRNP F rabbit pAb

Host species Rabbit
Applications WB;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

**Recommended dilutions** Western Blot: 1/500 - 1/2000. Immunofluorescence:

1/200 - 1/1000. ELISA: 1/20000. Not yet tested in

other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human hnRNP F. AA

range:11-60

**Specificity** hnRNP F Polyclonal Antibody detects endogenous

levels of hnRNP F protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Heterogeneous nuclear ribonucleoprotein F

Gene Name HNRNPF

**Cellular localization** Nucleus, nucleoplasm.

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 48kD
Human Gene ID 3185
Human Swiss-Prot Number P52597

Alternative Names HNRNPF; HNRPF; Heterogeneous nuclear

ribonucleoprotein F; hnRNP F; Nucleolin-like protein

mcs94-1

**Background** This gene belongs to the subfamily of ubiquitously

expressed heterogeneous nuclear

ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins that complex with heterogeneous




+86-27-59760950 ELKbio@ELKbiotech.com www.elkbiotec



nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and regulate alternative splicing, polyadenylation, and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene has three repeats of quasi-RRM domains that bind to RNAs which have guanosine-rich sequences. This protein is very similar to the family member hnRPH. Multiple alternatively spliced variants, encoding the same protein, have been identified. [provided by RefSeq, Jul 2008],

Western Blot analysis of various cells using hnRNP F Polyclonal Antibody



85-

48-

34-


26-

19-

Western Blot analysis of HepG2 cells using hnRNP F Polyclonal Antibody







Western blot analysis of lysates from HepG2 cells, using hnRNP F Antibody. The lane on the right is blocked with the synthesized peptide.

