

Neurexophilin-3 rabbit pAb

Cat No.: ES2927

For research use only

Overview

Product Name Neurexophilin-3 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human NXPH3. AA

range:158-207

Specificity Neurexophilin-3 Polyclonal Antibody detects

endogenous levels of Neurexophilin-3 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Neurexophilin-3

Gene Name NXPH3 **Cellular localization** Secreted.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

ClonalityPolyclonalConcentration1 mg/mlObserved band30kDHuman Gene ID11248Human Swiss-Prot Number095157

Alternative Names NXPH3; KIAA1159; NPH3; Neurexophilin-3

Background function: May be signaling molecules that resemble

neuropeptides. Ligand for

alpha-neurexins.,PTM:May be proteolytically


processed at the boundary between the N-terminal non-conserved and the central conserved domain in


neuron-like cells., similarity: Belongs to the





neurexophilin family., tissue specificity: Highest level in brain.,





HT29

(kD)


117-85-

48-

34-

26-

Western blot analysis of lysates from HT-29 cells, using NXPH3 Antibody. The lane on the right is blocked with the synthesized peptide.









Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).



+86-27-59760950