

Olfactory receptor 10J1 rabbit pAb

Cat No.: ES3014

For research use only

Overview

Product Name Olfactory receptor 10J1 rabbit pAb

Host species Rabbit WB;IF;ELISA **Applications**

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunofluorescence:

1/200 - 1/1000. ELISA: 1/10000. Not yet tested in

other applications.

The antiserum was produced against synthesized **Immunogen**

peptide derived from human OR10J1. AA

range:241-290

Specificity Olfactory receptor 10J1 Polyclonal Antibody detects

endogenous levels of Olfactory receptor 10J1

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20°C. Avoid repeated freeze-thaw cycles. **Storage**

Olfactory receptor 10J1 **Protein Name**

Gene Name OR10J1

Cellular localization Cell membrane; Multi-pass membrane protein. Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml **Observed band** 30kD **Human Gene ID** 26476

Human Swiss-Prot Number

Alternative Names

P30954/Q2M1M8/Q5VSV1

Background Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of

G-protein-coupled receptors (GPCR) arising from




+86-27-59760950 ELKbio@ELKbiotech.com




single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],

Western Blot analysis of various cells using Olfactory receptor 10J1 Polyclonal Antibody




Western blot analysis of lysates from 293 and Jurkat cells, using OR10J1 Antibody. The lane on the right is blocked with the synthesized peptide.



+86-27-59760950







Western blot analysis of the lysates from RAW264.7cells using OR10J1 antibody.

