

Snk rabbit pAb

Cat No.: ES3472

For research use only

Overview

Product Name Snk rabbit pAb

Host species Rabbit

Applications WB;IF;ELISA;IHC Species Cross-Reactivity Human;Mouse;Rat

Recommended dilutions WB 1:500-2000; IF/ICC 1:50-200; ELISA

1:2000-20000;IHC-p 1:50-200

Immunogen The antiserum was produced against synthesized

peptide derived from human PLK2. AA

range:291-340

Specificity Snk Polyclonal Antibody detects endogenous levels

of Snk protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Serine/threonine-protein kinase PLK2

Gene Name PLK2

Cellular localization Cytoplasm, cytoskeleton, microtubule organizing

center, centrosome, centriole . Cell projection, dendrite . Localizes to centrosomes during early G1 phase where it only associates to the mother centriole and then distributes equally to both mother and daughter centrioles at the onset of S

phase.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 78kD
Human Gene ID 10769
Human Swiss-Prot Number Q9NYY3

Alternative Names PLK2; SNK; Serine/threonine-protein kinase PLK2;

Polo-like kinase 2; PLK-2; hPlk2;



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com




Background

Serine/threonine-protein kinase SNK; hSNK; Serum-inducible kinase


The protein encoded by this gene is a member of the polo family of serine/threonine protein kinases that have a role in normal cell division. This gene is most abundantly expressed in testis, spleen and fetal tissues, and its expression is inducible by serum, suggesting that it may also play an important role in cells undergoing rapid cell division.

Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2011],

Western Blot analysis of various cells using Snk Polyclonal Antibody



Western Blot analysis of MCF7 cells using Snk Polyclonal




+86-27-59760950




Antibody





Western blot analysis of lysates from HeLa and MCF-7 cells, using PLK2 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HeLa cells using PLK2 antibody.

