

CD2 rabbit pAb

Cat No.: ES3971

For research use only

Overview

Product Name CD2 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Rat;Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300

ELISA: 1/20000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from the N-terminal region of

human CD2. AA range:31-80

Specificity CD2 Polyclonal Antibody detects endogenous levels

of CD2 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name T-cell surface antigen CD2

Gene Name CD2

Cell ular localization Cell membrane ; Single-pass type I membrane

protein.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 39kD
Human Gene ID 914
Human Swiss-Prot Number P06729

Alternative Names CD2; SRBC; T-cell surface antigen CD2; Erythrocyte

receptor; LFA-2; LFA-3 receptor; Rosette receptor;

T-cell surface antigen T11/Leu-5; CD2


Background The protein encoded by this gene is a surface

antigen found on all peripheral blood T-cells. The encoded protein interacts with LFA3 (CD58) on antigen presenting cells to optimize immune




+86-27-59760950 ELKbio@ELKbiotech.com www.elkbio






recognition. A locus control region (LCR) has been found in the 3' flanking sequence of this gene. [provided by RefSeq, Jun 2016],

Western Blot analysis of K562 cells using CD2 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000




Immunohistochemical analysis of paraffin-embedded human-pancreas, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-pancreas, antibody was diluted at 1:100







Immunohistochemical analysis of paraffin-embedded human-pancreas, antibody was diluted at 1:100



+86-27-59760950