

## CD58 rabbit pAb

## Cat No.:ES3981

For research use only

## Overview

Product Name	CD58 rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
<b>Recommended dilutions</b>	Western Blot: 1/500 - 1/2000. IHC-p: 1:100-300
	ELISA: 1/20000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
	peptide derived from the Internal region of human
	CD58. AA range:31-80
Specificity	CD58 Polyclonal Antibody detects endogenous
	levels of CD58 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Lymphocyte function-associated antigen 3
Gene Name	CD58
Cellular localization	[Isoform 1]: Cell membrane; Single-pass type I
	membrane protein.
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	27kD
Human Gene ID	965
Human Swiss-Prot Number	P19256
Alternative Names	CD58; LFA3; Lymphocyte function-associated
	antigen 3; Ag3; Surface glycoprotein LFA-3; CD58
Background	This gene encodes a member of the
	immunoglobulin superfamily. The encoded protein is
	a ligand of the T lymphocyte CD2 protein, and
	functions in adhesion and activation of T
	lymphocytes. The protein is localized to the plasma



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



KDa

70

55 40 35

25

15


10

K562


membrane. Alternatively spliced transcript variants have been described. [provided by RefSeq, Jan 2009],

Western Blot analysis of K562 cells using CD58 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100





+86-27-59760950


ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C