

## Integrin α5 rabbit pAb

Cat No.: ES4319

For research use only

## Overview

**Product Name** Integrin α5 rabbit pAb

Host species Rabbit

**Applications** WB;IHC;IF;ELISA **Species Cross-Reactivity** Human;Mouse;Rat

**Recommended dilutions** Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300.

ELISA: 1/10000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from the Internal region of human

ITGA5. AA range:561-610

**Specificity** Integrin α5 Polyclonal Antibody detects endogenous

levels of Integrin α5 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at  $-20^{\circ}$ C. Avoid repeated freeze-thaw cycles.

Protein Name Integrin alpha-5

Gene Name ITGA5

**Cellular localization** Membrane; Single-pass type I membrane protein.

Cell junction, focal adhesion. Cell surface.

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 115kD
Human Gene ID 3678
Human Swiss-Prot Number P08648

Alternative Names ITGA5; FNRA; Integrin alpha-5; CD49 antigen-like

family member E; Fibronectin receptor subunit

alpha; Integrin alpha-F; VLA-5; CD49e

**Background** integrin subunit alpha 5(ITGA5) Homo sapiens

The product of this gene belongs to the integrin alpha chain family. Integrins are heterodimeric integral membrane proteins composed of an alpha



+86-27-59760950 ELKbio@ELKbiotech.com www.elkbio



subunit and a beta subunit that function in cell surface adhesion and signaling. The encoded preproprotein is proteolytically processed to generate light and heavy chains that comprise the alpha 5 subunit. This subunit associates with the beta 1 subunit to form a fibronectin receptor. This integrin may promote tumor invasion, and higher expression of this gene may be correlated with shorter survival time in lung cancer patients. Note that the integrin alpha 5 and integrin alpha V subunits are encoded by distinct genes. [provided by RefSeq, Oct 2015],



23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei, P.R.C

+86-27-59760950