

ZnT-4 rabbit pAb

Cat No.: ES7552

For research use only

Overview

Product Name ZnT-4 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300. ELISA: 1/5000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human SLC30A4. AA

range:71-120

Specificity ZnT-4 Polyclonal Antibody detects endogenous

levels of ZnT-4 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Zinc transporter 4

Gene Name SLC30A4

Cellular localization Endosome membrane ; Multi-pass membrane

protein . Late endosome membrane ; Multi-pass membrane protein . Lysosome membrane ;

Multi-pass membrane protein.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 47kD
Human Gene ID 7782
Human Swiss-Prot Number O14863

Alternative Names SLC30A4; ZNT4; Zinc transporter 4; ZnT-4; Solute

carrier family 30 member 4

Background Zinc is the second most abundant trace metal in the

human body. It is an essential element, serving both




+86-27-59760950 ELKbio@ELKbiotech.com www.elkbiote




a structural role, as in the formation of zinc fingers in DNA-binding proteins, and a catalytic role in metalloenzymes, such as pancreatic carboxypeptidases (e.g., MIM 114852), alkaline phosphatases (e.g., MIM 171760), various dehydrogenases, and superoxide dismutases (e.g., MIM 147450). SLC30A4, or ZNT4, belongs to the ZNT family of zinc transporters. ZNTs are involved in transporting zinc out of the cytoplasm and have similar structures, consisting of 6 transmembrane domains and a histidine-rich cytoplasmic loop (Huang and Gitschier, 1997 [PubMed 9354792]).[supplied by OMIM, Mar 2008],

Immunohistochemistry analysis of paraffin-embedded human lymph node tissue, using SLC30A4 Antibody. The picture on the right is blocked with the synthesized peptide.




Western blot analysis of lysates from A549 cells, using SLC30A4 Antibody. The lane on the right is blocked with the synthesized peptide.



+86-27-59760950







Western blot analysis of the lysates from 293 cells using SLC30A4 antibody.

