

MAGI-2 rabbit pAb

Cat No.:ES8115

For research use only

Overview

Product Name Host species Applications Species Cross-Reactivity Recommended dilutions	MAGI-2 rabbit pAb Rabbit WB;IHC;IF;ELISA Human;Mouse;Rat Western Blot: 1/500 - 1/2000.	
Immunogen	Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications. The antiserum was produced against synthesized	
U	peptide derived from human MAGI2. AA range:221-270	
Specificity	MAGI-2 Polyclonal Antibody detects endogenous levels of MAGI-2 protein.	
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.	
Storage	Store at -20 $^\circ\!\mathrm{C}$. Avoid repeated freeze-thaw cycles.	
Protein Name	Membrane-associated guanylate kinase WW and PDZ domain-containing protein 2	
Gene Name	MAGI2	
Cellular localization	Cytoplasm . Late endosome . Cell junction, synapse, synaptosome . Cell membrane ; Peripheral membrane protein . Localized diffusely in the cytoplasm before nerve growth factor (NGF) stimulation. Recruited to late endosomes after NGF stimulation. Membrane-associated in synaptosomes (By similarity)	
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.	
Clonality	Polyclonal	
Concentration	1 mg/ml	
Observed band	156kD	
Human Gene ID	9863	
Human Swiss-Prot Number	Q86UL8	



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Alternative Names

Background

MAGI2; ACVRINP1; AIP1; KIAA0705; Membrane-associated guanylate kinase; WW and PDZ domain-containing protein 2; Atrophin-1-interacting protein 1; AIP-1; Atrophin-1-interacting protein A; Membrane-associated guanylate kinase inverted 2; MAGI-The protein encoded by this gene interacts with atrophin-1. Atrophin-1 contains a polyglutamine repeat, expansion of which is responsible for dentatorubral and pallidoluysian atrophy. This encoded protein is characterized by two WW domains, a guanylate kinase-like domain, and multiple PDZ domains. It has structural similarity to the membrane-associated guanylate kinase homologue (MAGUK) family. [provided by RefSeq, Jul 2008],



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C