

Parafibromin rabbit pAb

Cat No.: ES8836

For research use only

Overview

Product Name Parafibromin rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions WB 1:500-2000, ELISA 1:10000-20000 **Immunogen** Synthesized peptide derived from human

Parafibromin. at AA range: 51-100

Specificity This antibody detects endogenous levels of

Parafibromin

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Parafibromin

Gene Name CDC73 C1orf28 HRPT2

Cellular localization Nucleus.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 60kD
Human Gene ID 79577
Human Swiss-Prot Number Q6P1J9

Alternative Names Parafibromin (Cell division cycle protein 73

homolog) (Hyperparathyroidism 2 protein)

Background This gene encodes a tumor suppressor that is


involved in transcriptional and post-transcriptional control pathways. The protein is a component of the the PAF protein complex, which associates with the RNA polymerase II subunit POLR2A and with a histone methyltransferase complex. This protein appears to facilitate the association of 3' mRNA processing factors with actively-transcribed



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com





chromatin. Mutations in this gene have been linked to hyperparathyroidism-jaw tumor syndrome, familial isolated hyperparathyroidism, and parathyroid carcinoma. [provided by RefSeq, Jul 2009],

Western Blot analysis of 1,mouse-liver 2,mouse-brain cells using primary antibody diluted at 1:1000(4°C overnight). Secondary antibody:Goat Anti-rabbit IgG IRDye 800(diluted at 1:5000, 25°C, 1 hour)



+86-27-59760950