

ACSA rabbit pAb

Cat No.:ES9338

For research use only

Overview

Product Name	ACSA rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Mouse
Recommended dilutions	WB 1:500-2000 ELISA 1:5000-20000
Immunogen	Synthesized peptide derived from human protein . at AA range: 40-120
Specificity	ACSA Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage	Store at -20 $^\circ\!\mathbb{C}$. Avoid repeated freeze-thaw cycles.
Protein Name	Acetyl-coenzyme A synthetase, cytoplasmic (EC
	6.2.1.1) (AcetateCoA ligase) (Acetyl-CoA
	synthetase) (ACS) (AceCS) (Acyl-CoA synthetase
	short-chain family member 2) (Acyl-activating
	enzyme)
Gene Name	ACSS2 ACAS2
Cellular localization	Cytoplasm, cytosol .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	77kD
Human Gene ID	55902
Human Swiss-Prot Number	Q9NR19
Alternative Names	
Background	This gene encodes a cytosolic enzyme that catalyzes
	the activation of acetate for use in lipid synthesis
	and energy generation. The protein acts as a
	monomer and produces acetyl-CoA from acetate in
	a reaction that requires ATP. Expression of this gene



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



is regulated by sterol regulatory element-binding proteins, transcription factors that activate genes required for the synthesis of cholesterol and unsaturated fatty acids. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2009],



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C