

FOLR2 rabbit pAb

Cat No.: ES9661

For research use only

Overview

Product Name FOLR2 rabbit pAb

Host species Rabbit
Applications WB;ELISA
Species Cross-Reactivity Human;Mouse

Recommended dilutions WB 1:500-2000 ELISA 1:5000-20000

Immunogen Synthesized peptide derived from part region of

human protein

Specificity FOLR2 Polyclonal Antibody detects endogenous

levels of protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

StorageStore at -20°C. Avoid repeated freeze-thaw cycles.Protein NameFolate receptor beta (FR-beta) (Folate receptor 2)

(Folate receptor, fetal/placental) (Placental

folate-binding protein) (FBP)

Gene Name FOLR2

Cell ular localization Cell membrane; Lipid-anchor, GPI-anchor. Secreted .

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 28kD
Human Gene ID 2350
Human Swiss-Prot Number P14207

Alternative Names

Background The protein encoded by this gene is a member of


the folate receptor (FOLR) family, and these genes exist in a cluster on chromosome 11. Members of this gene family have a high affinity for folic acid and for several reduced folic acid derivatives, and they mediate delivery of 5-methyltetrahydrofolate to the interior of cells. This protein has a 68% and 79%



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com





sequence homology with the FOLR1 and FOLR3 proteins, respectively. Although this protein was originally thought to be specific to placenta, it can also exist in other tissues, and it may play a role in the transport of methotrexate in synovial macrophages in rheumatoid arthritis patients. Multiple transcript variants that encode the same protein have been found for this gene. [provided by RefSeq, Jul 2008],

Western blot analysis of lysates from SH-SY5Y cells, primary antibody was diluted at 1:1000, 4° over night



+86-27-59760950