

STK3 rabbit pAb

Cat No.: ES10201

For research use only

Overview

Product Name STK3 rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions WB 1:500-2000 ELISA 1:5000-20000

Immunogen Synthesized peptide derived from human protein . at

AA range: 330-410

Specificity STK3 Polyclonal Antibody detects endogenous levels

of protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

StorageStore at -20° C. Avoid repeated freeze-thaw cycles.Protein NameSerine/threonine-protein kinase 3 (EC 2.7.11.1)

(Mammalian STE20-like protein kinase 2) (MST-2) (STE20-like kinase MST2) (Serine/threonine-protein kinase Krs-1) [Cleaved into: Serine/threonine-protein

Gene Name STK3 KRS1 MST2

Cytoplasm . Nucleus . The caspase-cleaved form

cycles between nucleus and cytoplasm (PubMed:19525978, PubMed:11278283).

Phosphorylation at Thr-117 leads to inhibition of nuclear translocation (PubMed:19525978). .
The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

ClonalityPolyclonalConcentration1 mg/mlObserved band54kDHuman Gene ID6788Human Swiss-Prot NumberQ13188

Alternative Names

Purification

Background serine/threonine kinase 3(STK3) Homo sapiens

This gene encodes a serine/threonine protein kinase



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



activated by proapoptotic molecules indicating the encoded protein functions as a growth suppressor. Cleavage of the protein product by caspase removes the inhibitory C-terminal portion. The N-terminal portion is transported to the nucleus where it homodimerizes to form the active kinase which promotes the condensation of chromatin during apoptosis. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2012],



+86-27-59760950