

## ANXA4 rabbit pAb

## Cat No.:ES10896

For research use only

## Overview

Product Name	ANXA4 rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Rat;Mouse
Recommended dilutions	WB 1:500-2000 ELISA 1:5000-20000
Immunogen	Synthesized peptide derived from part region of
	human protein
Specificity	ANXA4 Polyclonal Antibody detects endogenous
	levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Annexin A4 (35-beta calcimedin) (Annexin IV)
	(Annexin-4) (Carbohydrate-binding protein p33/p41)
	(Chromobindin-4) (Endonexin I) (Lipocortin IV)
	(P32.5) (PP4-X) (Placental anticoagulant protein II)
	(PAP
Gene Name	ANXA4 ANX4
<b>Cellular localization</b>	Zymogen granule membrane ; Peripheral membrane
	protein .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	35kD
Human Gene ID	307
Human Swiss-Prot Number	P09525
Alternative Names	
Background	Annexin IV (ANX4) belongs to the annexin family of
	calcium-dependent phospholipid binding proteins.
	Although their functions are still not clearly defined,
	several members of the annexin family have been



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



implicated in membrane-related events along exocytotic and endocytotic pathways. ANX4 has 45 to 59% identity with other members of its family and shares a similar size and exon-intron organization. Isolated from human placenta, ANX4 encodes a protein that has possible interactions with ATP, and has in vitro anticoagulant activity and also inhibits phospholipase A2 activity. ANX4 is almost exclusively expressed in epithelial cells. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2016],

Western blot analysis of lysates from U2OS cells, primary antibody was diluted at 1:1000, 4° over night





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C