



# OR6C1 rabbit pAb

Cat No.:ES11601

For research use only


## Overview

|                                 |  |
|---------------------------------|--|
| <b>Product Name</b>             | OR6C1 rabbit pAb   |
| <b>Host species</b>             | Rabbit   |
| <b>Applications</b>             | WB;ELISA   |
| <b>Species Cross-Reactivity</b> | Human;Rat;Mouse;   |
| <b>Recommended dilutions</b>    | WB 1:500-2000 ELISA 1:5000-20000   |
| <b>Immunogen</b>                | Synthesized peptide derived from human protein .<br>at AA range: 200-280   |
| <b>Specificity</b>              | OR6C1 Polyclonal Antibody detects endogenous<br>levels of protein.   |
| <b>Formulation</b>              | Liquid in PBS containing 50% glycerol, 0.5% BSA and<br>0.02% sodium azide.   |
| <b>Storage</b>                  | Store at -20°C. Avoid repeated freeze-thaw cycles.   |
| <b>Protein Name</b>             | Olfactory receptor 6C1 (OST267)  |
| <b>Gene Name</b>                | OR6C1  |
| <b>Cellular localization</b>    | Cell membrane; Multi-pass membrane protein.  |
| <b>Purification</b>             | The antibody was affinity-purified from rabbit<br>antiserum by affinity-chromatography using<br>epitope-specific immunogen.  |
| <b>Clonality</b>                | Polyclonal   |
| <b>Concentration</b>            | 1 mg/ml  |
| <b>Observed band</b>            | 34kD   |
| <b>Human Gene ID</b>            | 390321   |
| <b>Human Swiss-Prot Number</b>  | Q96RD1   |
| <b>Alternative Names</b>        |  |
| <b>Background</b>               | olfactory receptor family 6 subfamily C member<br>1(OR6C1) Homo sapiens Olfactory receptors<br>interact with odorant molecules in the nose, to<br>initiate a neuronal response that triggers the<br>perception of a smell. The olfactory receptor<br>proteins are members of a large family of<br>G-protein-coupled receptors (GPCR) arising from<br>single coding-exon genes. Olfactory receptors share<br>a 7-transmembrane domain structure with many |





neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],



Western blot analysis of lysates from SH-SY5Y cells,  
primary antibody was diluted at 1:1000, 4° over night

