

S22A2 rabbit pAb

Cat No.:ES11891

For research use only

Overview

Product Name	S22A2 rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human; Rat; Mouse;
Recommended dilutions	WB 1:500-2000 ELISA 1:5000-20000
Immunogen	Synthesized peptide derived from part region of
	human protein
Specificity	S22A2 Polyclonal Antibody detects endogenous
	levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20 $^\circ\!\mathrm{C}$. Avoid repeated freeze-thaw cycles.
Protein Name	Solute carrier family 22 member 2 (Organic cation
	transporter 2) (hOCT2)
Gene Name	SLC22A2 OCT2
Cellular localization	Membrane ; Multi-pass membrane protein .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	61kD
Human Gene ID	6582
Human Swiss-Prot Number	015244
Alternative Names	
Background	Polyspecific organic cation transporters in the liver,
	kidney, intestine, and other organs are critical for
	elimination of many endogenous small organic
	cations as well as a wide array of drugs and
	environmental toxins. This gene is one of three
	similar cation transporter genes located in a cluster
	on chromosome 6. The encoded protein contains
	twelve putative transmembrane domains and is a



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



plasma integral membrane protein. It is found primarily in the kidney, where it may mediate the first step in cation reabsorption. [provided by RefSeq, Jul 2008],



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road,Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C