

Histone H2A (Acetyl Lys119) rabbit pAb

Cat No.: ES20090

For research use only

Overview

Product Name Histone H2A (Acetyl Lys119) rabbit pAb

Host species Rabbit
Applications WB; ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions WB 1:1000-2000 ELISA 1:5000-20000

Immunogen Synthesized peptide derived from human Histone

H2A (Acetyl Lys119)

Specificity This antibody detects endogenous levels of

Human, Mouse, Rat Histone H2A (Acetyl Lys119)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20° C. Avoid repeated freeze-thaw cycles.

Protein Name Histone H2A (Acetyl Lys119)

Gene Name HIST1H2AG H2AFP; HIST1H2AI H2AFC; HIST1H2AK

H2AFD; HIST1H2AL H2AFI; HIST1H2AM H2AFN

Cellular localization Nucleus. Chromosome.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

ClonalityPolyclonalConcentration1 mg/mlObserved band15kDHuman Gene ID8329

Human Swiss-Prot Number P0C0S8/P16104

Alternative Names Histone H2A type 1 (H2A.1;Histone H2A/p)

Background Histones are basic nuclear proteins that are

responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2A family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the small histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015],



+86-27-59760950