

## YAP (phospho-Ser397) rabbit pAb

## Cat No.:ES12269

For research use only

## **Overview**

Product Name	YAP (phospho-Ser397) rabbit pAb
Host species	Rabbit
Applications	WB
Species Cross-Reactivity	Human;Mouse;Rat
Recommended dilutions	WB 1:1000-2000
Immunogen	Synthesized phosho peptide around human YAP
-	(Ser397)
Specificity	This antibody detects endogenous levels of Human
	Mouse Rat YAP (phospho-Ser397)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20 $^\circ\!\mathrm{C}$ . Avoid repeated freeze-thaw cycles.
Protein Name	YAP (Ser397)
Gene Name	YAP1 YAP65
<b>Cellular localization</b>	Cytoplasm . Nucleus . Both phosphorylation and cell
	density can regulate its subcellular localization
	(PubMed:18158288, PubMed:20048001).
	Phosphorylation sequesters it in the cytoplasm by
	inhibiting its translocation into the nucleus
	(PubMed:18158288, PubMed:20048001). At low
	density, predominantly nuclear and is translocated
	to the cytoplasm at high density
	(PubMed:18158288, PubMed:20048001,
	PubMed:25849865). PTPN14 induces translocation
	from the nucleus to the cytoplasm
	(PubMed:22525271). Localized mainly to the
	nucleus in the early stages of embryo development
	with expression becoming evident in the cytoplasm
	at the blastocyst and epiblast stages (By similarity)
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Concentration	1 mg/ml
Observed band	67kD
Human Gene ID	10413
Human Swiss-Prot Number	P46937
Alternative Names	Yorkie homolog (65 kDa Yes-associated protein) (YAP65)
Background	This gene encodes a downstream nuclear effector of the Hippo signaling pathway which is involved in development, growth, repair, and homeostasis. This gene is known to play a role in the development and progression of multiple cancers as a transcriptional regulator of this signaling pathway and may function as a potential target for cancer treatment. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Aug 2013],



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C