

EGF Receptor (phospho-Tyr992) rabbit pAb

Cat No.: ES16788

For research use only

Overview

Product Name EGF Receptor (phospho-Tyr992) rabbit pAb

Host species Rabbit
Applications WB

Species Cross-Reactivity Human; Mouse **Recommended dilutions** WB 1:1000-2000

Immunogen Synthesized phosho peptide around human EGF

Receptor (Tyr992)

Specificity This antibody detects endogenous levels of Human

Mouse EGF Receptor (phospho-Tyr992)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20° C. Avoid repeated freeze-thaw cycles.

Protein Name EGF Receptor (Tyr992)
Gene Name EGFR ERBB ERBB1 HER1

Cellular localization Cell membrane; Single-pass type I membrane

protein . Endoplasmic reticulum membrane ; Single-pass type I membrane protein. Golgi

apparatus membrane; Single-pass type I membrane protein. Nucleus membrane; Single-pass type I membrane protein. Endosome . Endosome membrane. Nucleus . In response to EGF,

translocated from the cell membrane to the nucleus

via Golgi and ER (PubMed:20674546,

PubMed:17909029). Endocytosed upon activation by ligand (PubMed:2790960, PubMed:17182860, PubMed:27153536, PubMed:17909029). Colocalized

with GPER1 in the nucleus of estrogen

agonist-induced cancer-associated fibroblasts (CAF)

(PubMed:20551055). .; [Isoform 2]: Secreted. The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal



Purification

+86-27-59760950 ELKbio@ELKbiotech.com www.elkbiotech.com



Concentration1 mg/mlObserved band134kDHuman Gene ID1956Human Swiss-Prot NumberP00533

Alternative Names Epidermal growth factor receptor (EC 2.7.10.1)

(Proto-oncogene c-ErbB-1) (Receptor

tyrosine-protein kinase erbB-1)

Background The protein encoded by this gene is a

transmembrane glycoprotein that is a member of the protein kinase superfamily. This protein is a receptor for members of the epidermal growth factor family. EGFR is a cell surface protein that binds to epidermal growth factor. Binding of the protein to a ligand induces receptor dimerization and tyrosine autophosphorylation and leads to cell proliferation. Mutations in this gene are associated with lung cancer. [provided by RefSeq, Jun 2016],

