

FXYD4 rabbit pAb

Cat No.:ES16301

For research use only

Overview

Product Name	FXYD4 rabbit pAb
Host species	Rabbit
Applications	IHC;IF
Species Cross-Reactivity	Human; Mouse;Rat
Recommended dilutions	IHC-p 1: 50-200
Immunogen	Synthesized peptide derived from human FXYD4 AA range: 26-76
Specificity	This antibody detects endogenous levels of FXYD4 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage	Store at -20 $^\circ\!\mathrm{C}$. Avoid repeated freeze-thaw cycles.
Protein Name	FXYD4
Gene Name	FXYD4 UNQ526/PRO1069
Cellular localization	Membrane ; Single-pass type I membrane protein .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	
Human Gene ID	53828
Human Swiss-Prot Number	P59646
Alternative Names	
Background	This gene encodes a member of a family of small
	membrane proteins that share a 35-amino acid
	signature sequence domain, beginning with the
	sequence PFXYD and containing 7 invariant and 6
	highly conserved amino acids. The approved human
	gene nomenclature for the family is FXYD-domain
	containing ion transport regulator. FXYD4, originally
	named CHIF for channel-inducing factor, has been
	shown to modulate the properties of the



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Na,K-ATPase, as has FXYD2, also known as the gamma subunit of the Na,K-ATPase, and FXYD7. Transmembrane topology has been established for FXYD4 and two family members (FXYD1 and FXYD2), with the N-terminus extracellular and the C-terminus on the cytoplasmic side of the membrane. Alternatively spliced transcript variants encoding the same protein have been found.[provided by RefSeq, May 2010],



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C