

R9BP rabbit pAb

Cat No.:ES13828

For research use only

Overview

Product Name	R9BP rabbit pAb
Host species	Rabbit
Applications	WB;ELISA;IHC
Species Cross-Reactivity	Human; Mouse
Recommended dilutions	WB 1:500-2000;IHC-p 1:50-300; ELISA 2000-20000
Immunogen	Synthesized peptide derived from human R9BP AA
	range: 138-188
Specificity	This antibody detects endogenous levels of R9BP at
	Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	R9BP
Gene Name	RGS9BP R9AP
Cellular localization	Membrane ; Single-pass type IV membrane protein .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	
Human Gene ID	388531
Human Swiss-Prot Number	Q6ZS82
Alternative Names	
Background	The protein encoded by this gene functions as a
	regulator of G protein-coupled receptor signaling in
	phototransduction. Studies in bovine and mouse
	show that this gene is expressed only in the retina,
	and is localized in the rod outer segment
	membranes. This protein is associated with a
	heterotetrameric complex, specifically interacting
	with the regulator of G-protein signaling 9, and
	appears to function as the membrane anchor for the



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C




other largely soluble interacting partners. Mutations in this gene are associated with prolonged electroretinal response suppression (PERRS), also known as bradyopsia. [provided by RefSeq, Mar 2010],

Western blot analysis of lysates from VEC cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human oophoroma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C