

# iFluor™ 647 Anti-human/ non-human primates CD137 Antibody \*4B4-1\*

Catalog number: 113700F0, 113700F1

Unit size: 100 tests, 500 tests

#### **Product Details**

Storage Conditions 2-8°C with minimized light exposure. Do not freeze.

Expiration Date 12 months upon receiving

Concentration 0.1 mg/mL

Formulation Phosphate-buffered saline (PBS, pH 7.2), 0.09% sodium azide, 0.2% (w/v) BSA

### **Antibody Properties**

Species Reactivity Human, non-human primates

Class Primary

Clonality Monoclonal

Host Mouse

Isotype Mouse IgG1 kappa

Immunogen CD137 (4-1BB, ILA, TNFRSF9)

Clone 4B4-1

Conjugate iFluor™ 647

### **Biological Properties**

Appearance Blue liquid

Preparation Antibody purified by affinity chromatography and then conjugated with iFluor™ 647 under

optimal conditions

Application Flow Cytometry (FACS), Fluorescence Imaging

#### **Spectral Properties**

Conjugate iFluor™ 647

Excitation Wavelength 656 nm

Emission Wavelength 670 nm

## **Applications**

The 4B4-1 monoclonal antibody reacts with human/ non-human primates CD137, a 30 kD member of the TNFR superfamily frequently located on the surface of T cells and follicular dendritic cells. CD137 acts in vital cellular pathways, for example, the tumor necrosis factor-mediated signaling pathway. In addition, in certain organisms, it downregulates cell population proliferation. From a research standpoint, it is of biological

interest due to its association with essential macromolecules/ligands such as 4-1BB ligand. CD137 is a fairly uncommon antibody target, with a little more than 4100 publications in the last decade. Even still, CD137 is often used in flow cytometry applications as a phenotypic marker for differentiation of cell types, specifically in the study of immunology and costimulatory molecules. This antibody was purified through affinity chromatography and conjugated to iFluor™ 647 (ex/em = 656/670 nm). It is compatible with the 640 nm laser and 660/20 nm bandpass filter (for example, as in the BD FACSCanto™).