

## Rpb1 CTD (phospho-Ser7) rabbit pAb

Cat No.: ES13339

For research use only

## Overview

Product Name Rpb1 CTD (phospho-Ser7) rabbit pAb

Host species Rabbit Applications WB

Species Cross-Reactivity Human; Mouse; Rat Recommended dilutions WB 1:1000-2000

Immunogen Synthesized phosho peptide around human Rpb1

CTD (Ser7)

**Specificity** This antibody detects endogenous levels of Human

Mouse Rat Rpb1 CTD (phospho-Ser7)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at  $-20^{\circ}$ C. Avoid repeated freeze-thaw cycles.

Protein Name Rpb1 CTD (Ser7)
Gene Name POLR2A POLR2

**Cellular localization** Nucleus . Cytoplasm . Chromosome .

Hypophosphorylated form is mainly found in the cytoplasm, while the hyperphosphorylated and active form is nuclear (PubMed:26566685).

Co-localizes with kinase SRPK2 and helicase DDX23 at chromatin loci where unscheduled R-loops form

(PubMed:28076779)...

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 250kD
Human Gene ID 5430
Human Swiss-Prot Number P24928

Alternative Names DNA-directed RNA polymerase II subunit RPB1 (RNA

polymerase II subunit B1) (EC 2.7.7.6) (DNA-directed RNA polymerase II subunit A) (DNA-directed RNA polymerase III largest subunit) (RNA-directed RNA



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



**Background** 

polymerase II subunit RPB1) (EC 2.7.7.48)
This gene encodes the largest subunit of RNA polymerase II, the polymerase responsible for synthesizing messenger RNA in eukaryotes. The product of this gene contains a carboxy terminal domain composed of heptapeptide repeats that are essential for polymerase activity. These repeats contain serine and threonine residues that are phosphorylated in actively transcribing RNA polymerase. In addition, this subunit, in combination with several other polymerase subunits, forms the DNA binding domain of the polymerase, a groove in which the DNA template is transcribed into RNA. [provided by RefSeq, Jul 2008],



+86-27-59760950